In cases of resales for default of payment of value where no bidders are forthcoming, it will be open to the District Forest Officer to fix such price as may appear to him to be reasonable and to proceed for the recovery from the defaulter of the balance, if any, after deducting the price so fixed from the original sale amount. A registered notice will be issued to the defaulter intimating the price fixed by the District Forest Officer for the unsold wood and the amount still due from him which will be recovered as arrears of land revenue.

6. The deposits tendered by the unsuccessful bidders shall be returned immediately after the sales are concluded, those of successful bidders being lodged in the Savings Bank as security deposit.

7. The full value of all timber purchased shall be paid for within 30 days after the date of sale or within 15 days after the date of the notice of confirmation of the sale, whichever is later. In case of purchases of above Rs. 1,000 in value, the purchaser shall be permitted to pay up the balance in instalments or not less than Rs. 1,000 provided the full value is paid not later than the 15th May 1933. The money shall be paid into such treasury as the District Forest Officer may direct within the time specified.

8. If the amount is not fully paid for by the purchaser before the dates fixed above, the initial deposit as well as the other moneys already paid in shall be forfeited to Government and all or any portion of the timber not fully paid for shall be resold at the riskof the purchaser in the manner prescribed for default of payment of one-tenth value in clause 5 *supra*.

9. No timber lot shall be permitted to be removed by the purchaser unless it has been paid for in full, calculated at the rates at which the timber is knocked down to him at the time of sale, excluding the 10 per cent deposit paid for the lot at the time of the sale; and no timber shall be removed from the depôt unless a permit is obtained from the Forest Officer, in charge of the depôt. The earnest money will not be adjusted towards the value of timber until 90 per cent of the purchase money over and above the security deposit has been paid.

10. Timber purchased should be removed as early as possible, and in no case, should it be allowed to remain longer than 90 days after the dates fixed in clause 7 *supra*. Timber not removed after purchase will remain in the Depot at the risk of the purchaser from the date of the confirmation of the sale.

11. If the timber is not removed within the time allowed, the same may, after ten days' notice to the purchaser, be sold in public auction and the proceeds will be given to the purchaser after defraying all the expenses in connection with the resale.

12. The deposit of Rs. 200 will remain as security for the due fulfilment of all and every one of the terms of sale, on the breach of any of which by the purchaser, the District Forest Officer shall be entitled to forfeit the deposit in whole or in part and in the event of such forfeiture, the sum so forfeited shall be immediately made good by the purchaser so long as the transaction is not finally closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

K. REVANNA,
District Forest Officer.

ENGINEERING DEPARTMENT.

BANGALORE DIVISION, BANGALORE.

Abstract Notification dated 30th December 1932.

The attention of the public is invited to the detailed Notification calling tenders for the Restoration of Menasi Minor Tank Reg. No. 119 of Dodballapur Taluk published on pages 17 and 18 of Part VI of the *Mysore Gazette*, dated 5th January 1933.

The last date for the receipt of tender is 30th January 1933 and the earnest money to be deposited is Rs. 300.

H. F. MARKER,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification.

The attention of the public is invited to notification, dated 11th January 1933 published in pages 53 and 54, Part VI of the *Mysore Gazette*, dated 12th January 1933 calling for tenders for the work of "Laying Underground Submain Sewer No. 2 from the Central Jail Extension to the flood water main drain in Sultanpet, *via.*, Balepet, Bangalore City."

The latest date for submitting the tender is 1st February 1933.

B. R. GARUDACHAR,
Executive Sanitary Engineer.

KOLAR DIVISION.

Abstract Notification, dated 4th January 1933.

The attention of the public is invited to the notification published in pages 31 and 32, Part VI of the *Mysore Gazette* dated 12th January 1933, calling for tenders for the work of Restoring Champalli Sulekere, Registered No. 128—291 of Srinivasapur Taluk.

The last date fixed for the receipt of the tender is 6th February 1933, upto 2 P.M.

Abstract Notification, dated 3rd January 1933.

The attention of the public is invited to the notification published in page 29, Part VI of the *Mysore Gazette*, dated 12th January 1933, calling for tenders for the work of constructing a causeway on Chikthirupathi Road across Kodihalla of Jagadanahalli Tank, Malur Taluk.

The last date fixed for the receipt of the tender is 4th February 1933 up to 2 P.M.

Abstract Notification, dated 3rd January 1933.

The attention of the public is invited to the notification published in pages 29 and 30, Part VI of the *Mysore Gazette* dated 12th January 1933, calling for tenders for the work of Restoring Yedahalli Doddakere, Registered No. 269—37 of Mulbagal Taluk.

The last date fixed for the tender is 6th February 1933 upto 2 P.M.

Abstract Notification, dated 11th January 1933.

Tenders for restoring Champalli Sulekere in Srinivasapur Taluk and for restoring Yedahalli Doddakere in Mulbagal Taluk, will be received up to 2 P.M., on 6th February 1933 instead of 5th February 1933, as notified in the *Mysore Gazette*, in pages 31 and 29, Part VI, dated 12th January 1933.

C. T. NARASIMHA IYENGAR,
Executive Engineer.

SPECIAL DIVISION, MYSORE.

Abstrct Notification, dated 5th January 1933.

Subject:—Lease of the Lansdowne Bazaar Buildings, Mysore.

The attention of the public is invited to the detailed notification datad the 12th January 1933, published on page 38, Part VI of the *Mysore Gazette*, dated the 12th January 1933, calling for tenders for the lease of the Lansdowne Bazaar Buildings, Mysore.

The last date for the receipt of the tenders is the 4th February 1933.

V. V. PATANKAR,
Executive Engineer.

MYSORE DIVISION.

Abstract Notification, dated 7—9th January 1933.

"Tenders are invited for Restoring Rudrakshipur Tank, Reg. No. 213, Mandya Taluk, for particulars *vide Mysore Gazette*, page 52, Part VI, No. 2, dated 12th January 1933."

Notification dated 16th January 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 12 noon on 6th February 1933, for deviating Madras—Cannanore Road from Wellesly Bridge near Kirangur. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms, which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for deviating Madras-Cannanore Road from Wellesly Bridge near Kirangur in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender. In all cases the decision of the Superintending Engineer will be final and binding.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. On no account will the tendered rates be increased.

10. Lumpsum quotation will not be accepted. Rates should be quoted for each item of work.

Abstract estimate for the Deviation of Madras-Cannanore Road from Wellesly Bridge to near Kirangur.

No.	Details of work	Quantity	Per	Rate	
				In figures	In words
1	Forming road and opening side drains wherever necessary.	Lump	sum		
2	Earthwork banking with lead and Consolidation.	6,325	C.yd.		
3	Cutting road and forming bank... ...	391	,,		
4	Turfing	253	Sqr.		
5	Metalling with shingle metal	515	C.yds.		
6	Sand coating under shingle coating ...	515	,,		
7	Metalling with broken metal	414	,,		
8	Collecting and consolidating gravel ..	113	,,		
9	Dismantling monument and reconstruction...	Lump	sum		
10	Cutting trees and hedges	Lump	sum		
11	Dismantling mud houses and forming debris.	Lump	sum		
12	Compensation to lands and houses ...	Lump	sum		
13	Removing and refixing furlong and mile stones.	Lump	sum		
14	Constructing 6" cast iron pipe irrigation tunnels.	4	Each		
	Constructing a Bridge to the Channel.				
1	Clearing site and levelling ground ..	Lump	sum		
2	Excavating foundation	35	C.yds.		
3	Jelly concrete in surki mortor ..	474	C.ft.		
4	Burnt stone in surki mortor	2,176	,,		
5	Do slabs 9" thick	252	S.ft.		
6	Do 6" thick	165	,,		
7	Caps to cut waters	2	Each		
8	Cement pointing	11·89	Sqr.		
9	Earthwork filling over bridge	70	C.yds.		
10	Rough stone work new	33	,,		
11	Fixing new guard stones	4	Each		
12	Preparing and fixing date stone ...	1	,,		

Notice dated 16th January 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 12 NOON 25th January 1933, for Diversion of Bangalore-Nilgiri Road, near Nanjangud. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 in cash or Government Promissory Notes as earnest money and be superscribed "Tender for Diversion of Bangalore-Nilgiri Road near Nanjangud, in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender. In all cases the decision of the Superintending Engineer will be final and binding.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates should be quoted for each item of work. No lumpsum tenders for any of the items will be accepted.

Abstract estimate for Diversion of Bangalore-Nilgiri Road at 6—100 to 7—100 near Nanjangud Bridge.

No.	Items of work	Per	Quantity	Rate in figures	Rate in words
				Rs.	Rs.
1	Earthwork excavation in cutting and using the same for band including lead and consolidation	Cyd.	73		
a	Ordinary soil	„	73		
b	Gravelly do	„	3659		
c	Rocky do	„	1073		
2	Excavating side drain and using same to the road.	„	1702		
3a	Turfing the embankment with gravel backing for bad soil.	Syd.	559		
b	Turfing to banks	„	1986		
4(1)	Collecting granite metal 3" thick for soiling the new road.	C.yd.	375		
(2)	Collecting breaking and stacking burnt metal.	„	294		
5(1)	Consolidating metal unbroken ...	„	375		
(2)	Do broken ...	„	294		
(3)	Spreading and consolidating gravel collected in item No. I (b).	„	98		
(4)	Collecting and spreading sand ...	„	38		
(5)	Water charges	„	294		

No.	Items of work	Per	Quantity	Rate in figures	Rate in words
				Rs.	Rs.
(6)	Providing and fixing furlong stones with bed slabs including dressing, cutting figures and painting.	Each	8		
(7)	Removing and refixing finger post ...	,,	1		
(8)	Providing and fixing field boundary stones ordinary.	,,	57		
(9)	Removing and refixing mile stone including retouching and repainting.	,,	1		
(10)	Providing avenue plantations at 26 per furlong in pit with necessary manure and watering, etc., including constructing circular mud wall around pit 9" thick and 3' height with aloe coping.	,,	197		
(11)	Cutting and removing hedges aloes in fields, lock-spitting, etc.	L. S.	...		
(12)	Constructing a pipe tunnel at 7—100 on Bangalore-Mangalore Road.	,,	...		
	CONSTRUCTING A TUNNEL OF 6' x 7'.				
1	Earth work excavation and using for bund.	C.yds.	59		
2	Burnt size stone in mortar ...	C.ft.	658		
3	Burnt brick in mortar	,,	1,466		
4	Plastering with mortar	Sqr.	10·74		
5	Rough stone work new with jelly-wedging.	C.yds.	100		
6	Providing and fixing guard stones ...	Each	4		
7	Burnt stone slabs 9" thick	S.ft.	286		

K. NARAYANA IYENGAR,
Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification.

The attention of the public is hereby invited to the advertisement on page Nos. 15 and 16 of Part VI of the *Mysore Gazette*, dated 5th January 1933, calling for tenders for constructing the Muslim Hostel at Davangere, Chitaldrug District.

R. TIPPAIYA,
Executive Engineer.

KADUR DIVISION.

Abstract Notification, Chikmagalur, dated 28th December 1932.

The attention of the public is invited to the notice calling for tenders for making good the damages to Tangali Anicut for 32-33, published in detail on page 14 of Part VI of the *Mysore Gazette*, dated 5th January 1933.

The last date for receiving tenders is 16th January 1933, till 3 p.m. Earnest money to be furnished is Rs. 110.

Abstract Notification Chikmagalur, dated 28th December 1932.

The attention of the public is invited to the notice calling for tenders for making good the damages to Garjee Anicut, published on pages 12 and 13 of Part VI of *Mysore Gazette*, dated 5th January 1933.

The last date for receiving tender is 16th January 1933 till 3 p.m. Earnest money to be furnished is Rs. 240.

Notice dated 8th January 1933.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, up to 26th January 1933, till 3 P.M. for Making good the damages to Tangli Left Bank Channel feeding Macheri tank, Kadur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chikmagalur between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees one hundred and sixty only in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Making good the damages to Tangli Left Bank Channel feeding Macheri tank," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates should be quoted for each and every item.

10. Percentage quotations either below the tender or below the lowest estimated rates will not be accepted.

11. In all matters of dispute regarding quality of work or rates, the decision of the Superintending Engineer is final and legally binding.

12. No claims for enhanced rates should be preferred after the acceptance of tender or at any time during the execution of work.

13. For lumpsum items and also items found necessary during execution rates as per current scheduled rates as per data struck will be allowed.

14. No representations regarding rates, etc., from the rejected tenderers will be considered after the acceptance of tender.

15. The contractor will be held responsible for the good behaviour of his employees of all grades.

Abstract estimated quantity for Making good the damages to Tangli Left Bank Channel feeding Macheri Tank, Kadur Taluk.

No.	Items of work	Per	Quantity
	I *Constructing releiving weir in* 2 *and* 3—1 *Length* 300 *feet.*		
1	Earthwork excavation hard soil mixed with soft rock ...	C.yds.	336
2	Stone jelly concrete in surki mortar	C.ft.	1,380
3	Rubble masonary in surki mortar	„	6,743
4	Surki concerete coping mixed with cement	„	308
5	Plastering with surki mortar with cement rendering at top ...	Sqr.	9·25
5(*a*)	Surki mortar pointing	„	18·96
6	Rough stone work (new)	C.yds.	218
	II *Putting bund in place of breach in bund at* 3/1		
1	Earthwork excavation and using the same to the top of bund and forming hard soil.	C.yds.	389
2	Earthwork putting bund with admixture of gravel watering and tamping.	„	1,644
3	Rough stone revetment (new)	...	367
	III *Constructing head sluice in grade* 3/1 *near rock out crop.*		
1	Earthwork excavation ordinary soil	...	11
2	Benching rock	S.ft.	24
3	Stone jelly concrete in surki mortar	C.ft.	60
4	Rubble masonry in surki mortar	„	468

No	Items of work	Per	Quantity
5	Surki concrete coping mixed with cement	C.ft.	42
6	Burnt stone slabs 6" thick dressed and fixed in surki mortar ...	S.ft.	18
7	Surki mortar pointing	Sqr.	5'12
8	Putting flood bank earthwork including watering and tamping	C.yds.	213
	IV *Constructing new relieving weir in* 9/1 *length* 25 *feet.*		
1	Earthwork excavation	C.yds.	13
2	Concrete stone jelly in surki mortar	C.ft.	120
3	Rubble masonry in surki mortar	„	352
4	Surki concrete coping mixed with cement	„	37
5	Surki plastering with cement rendering at top	Sqr.	1.10
6	Surki pointing	„	1'84
7	Rough stone work (new) including gravel backing and wedging, etc., complete	C.yds.	43
	V *Extending the relieving weirs in* 5/1 *and* 15—1 *by* 18 *feet each.*		
1	Dismantling return	C.ft.	22
2	Earthwork excavation	C.yds.	12
3	Stone jelly concrete in surki mortar	C.ft.	108
3a	Size stone in surki mortar...	„	236
4	Burnt stone slabs, 6" thick fixed in surki mortar	S.ft.	44
5	Fixing old burnt stone slabs in surki mortar	„	12
6	Pointing with surki mortar	Sqr.	1'22
7	Rough stone work (new)	...	44
8	Teakwood shutters to marigandi in 15/1 with iron fittings, etc., complete.	S.ft.	6
	VI *Breach filling.*		
1	Earthwork excavation and forming	C.yds.	202
2	Do putting bund with admixture of gravel including watering and tamping.	„	499
3	Rough stone work (new)	„	42
	VII *Clearing silt in channel and forming the same on bund* ...	„	2,772
	VIII *Widening channel from* 12—1 *grade to* 2/2.		
1	Earthwork and forming	C.yds.	660
	IX *Blasting rock (hard).*	„	2½
X	*Excavating check drain and using the same on bund and forming*	„	681
XI	*Jungle clearing*	L.S.	...
XII	*Removing and resetting grade stones on bund*	No.	27

L. A. H. WINCKLER,
Executive Engineer

MISCELLANEOUS DEPARTMENTS.

OFFICE OF THE *EX-OFFICIO* CONTROLLER OF PATENTS AND DESIGNS.

No. C_1. Pat. No. 62 *of* 1931-32, *dated* 10*th January* 1933.

NOTICE OF ACCEPTANCE OF APPLICATION FOR PATENT NO. 62 OF 1931-32, DATED 25TH JUNE 1932.

"W. E. John."

"Improvements in the Cyanide Extraction of Gold."

Notice is hereby given that all persons interested in opposing the grant of a patent on the application referred to below may, at any time within three months of the date of this Notification, give notice to the *Ex-Officio* Controller of Patents and Designs in Mysore, in the prescribed form No. 5 of such opposition.

Messrs. Remfry & Son, Patent and Trademark Attorneys, Calcutta.

Any one desiring to inspect copy of the Specification of the above may call at the Office of the *Ex-Officio* Controller of Patents and Designs on any working day between 11 A.M. and 5 P.M. A sum of rupee one will be charged for such inspection.

H. K. RAMIENGAR,
For Ex-Officio *Controller of Patents and Designs.*